



General Surgery

1825 Martha Berry Blvd. Rome, GA 30165

706-236-6328

### **MRM/AXILLARY DISSECTION POST-OP INSTRUCTIONS**


1. You will have 1-2 drains in place after surgery. You will be educated on care of the drains before you leave the hospital.
2. When you go home, you will need to keep up with the drainage twice daily and call our office with the amounts for each drain.
3. No showers until the drain(s) are out. You may sponge bath until then.
4. Limit your shoulder use until told to begin exercises. You may use elbow, wrist and fingers.
5. You will be out of work for approximately 3-6 weeks following surgery.
6. See "Breast Surgery Recovery Exercises" below for exercises after given permission by your doctor.

## Breast Surgery Recovery Exercises

As you recover from breast surgery, your doctor will tell you when it is safe to begin exercising. Your goal will be to regain normal range of motion and use of your arm. For your safety, use this handout only as directed by your doctor or physical therapist.

### Ball Squeezing

- While standing, sitting, or lying, hold a rubber ball in your hand on the operated side.
- Keep your arm slightly bent, with your palm toward the ceiling. Lift your hand higher than your heart. Squeeze and relax the ball.
- Repeat \_\_\_\_\_.



### Crossed Arm

- Stand with elbows bent and raised to shoulder level. Cross one arm on top of the other arm. Touch your elbows with your fingers.
- Push your elbows backward, squeezing your shoulder blades together.
- Repeat \_\_\_\_\_.



### Broom Stretch

- Place the hand on your operated side over the end of a stick (a broom or cane will work). Grasp farther down the stick with your other hand, palm down.
- Gently but firmly, push the end of the stick as high as you comfortably can. Hold 15 seconds.
- Return to starting position.
- Repeat \_\_\_\_\_.





## ❑ Wall Climb

- Stand and face a wall, with your toes 4 to 6 inches from it.
- Place your forearms against the wall, hands at eye level.
- Walk your hands up the wall, keeping palms parallel. Stop if you feel pulling or pain.
- Hold the stretch for 15 to 20 seconds. Move your hands back down the wall.
- Repeat \_\_\_\_\_.
- As you improve, stand closer to the wall.



## ❑ Chicken Wing

- With elbows straight, clasp your fingers in front of you. Raise your arms slowly over your head.
- Keeping your fingers clasped, put your hands behind your neck.
- Pull your elbows in until they touch at chin level. (Unclasp your fingers if you need to.)
- Repeat \_\_\_\_\_.



### Special Instructions:

---

---

---